

Azimut 64 Flybridge

Year: 2013 - Hull number: 48

Equipped with
Seakeeper



YEAR 2013 – AS NEW !!!

GENERAL DESCRIPTION

Year:	2013	Layout:	1 master cabin, 2 guest cabins, 3 heads
Current Price:	EUR 1,350,000	Accommodation:	2 owner cab., 2 vip cab., 2 guest cab., 2 saloon
VAT status:	Not paid	Crew:	1 cab. (1 crew) + 1 head
Laying:	Kuwait	Hull color:	White
		Interiors:	Decapé oak & Brown leathers

MACHINERY: 2 x CATERPILLAR C18 ACERT 1.150 mHP (350 hrs)
Shaft line
1 x Kohler 20 kW generator – Shore Power 220/24V

ELECTRONICS & NAVIGATION:


Raymarine Gold pkg. (incl. 2x E125 at main helm + 2x E165 on fly, chart plotter) – ST6002 auto pilot - RAY E240 VHF (main hel + fly) - Radar antenna HD 4 kW 18" 48NM color - Xenta Maneuvering Joystick in helm & fly – Complete A/V system with TV elevator in saloon – Bose 3.2.1 system in salon – I-Boat system in Master and VIP cabins, Cd music player on fly – CCTV in cockpit.

COMPREHENSIVELY EQUIPPED:

A/C system 92.000 BTU - Bow thrusters – Seakeeper stabilizer - Electrohydraulic bathing platform with teak - Electric mooring winches in cockpit – Barbecue & Ice Maker on fly – Ice Maker in cockpit - Teak laid cockpit - Telescopic gangway – Crane for tender on fly – Automatic Fire Fighting system – Side boarding gate - Galley equipped with glass-ceramic hobs, refrigerator 165 lt w/separate freezer, microwave oven & grill - crockery with Azimut logo.

OTHER INFO: Sunbathing cushions and Cockpit cushions – Underwater lights – Safe in owner cabin – Electric pilot seat in helm – Bimini on fly – Glendinning cable master – Bidet in Master and VIP head

LAYOUT



Flying Bridge



Main Deck



Lower Deck

ELECTRONICS & NAVIGATION



FLYBRIDGE



Image from the catalog



Image from the catalog

EXTERIOR



MAIN DECK



- Foldable 2 person bed in salon



MAIN DECK con't



- Galley top in Emperador dark marble
- Foldable hobs' top

LOWER DECK (Owner cabin)



LOWER DECK (VIP cabin) con't



LOWER DECK (Guest cabin) con't



ADDITIONAL INFORMATION

Length overall (incl. pulpit)	20,15 m
Hull length (incl. platform)	19,25 m
Beam at main section	5,06 m
Draft (incl. props at full load)	1,52 m
Displacement (at full load)	35,2 t
Maximum speed (at half load)	34 kn
Cruising speed (at half load)	28 kn
Fuel capacity	3.900 l
Water capacity	980 l
Building material	GRP
Keel	planning
Exterior styling & concept	Stefano Righini
Interior Design	Carlo Galeazzi
Builder	Azimut Yachts

UNI ISO 8666

The performance described applies to a vessel with standard configuration (standard equipment installed) and a clean hull, propellers, and rudder. It is also noted that the performance described was recorded under favourable sea and wind conditions (Beaufort scale index 1, Douglas scale index 1); different and worse sea conditions could significantly impact performance.

CE Mark.

Given the continual evolution of technology, Azimut | Benetti S.p.A reserves the right to modify the technical specifications on its vessels at any time and without prior notice.

Disclaimer:

Any and all information contained in this brochure, including without limitation all technical data, performance, illustrations and drawings, are just a rough guide and they are not contractual and refer to standard models of motor yachts built by the shipyard. Therefore the only indications binding on the seller are contained solely in the sale agreement and in the relevant specific manual. This brochure is based on information available at the date of release. Notwithstanding all efforts to insure accuracy, the information contained in this email may not cover all details, technical-commercial changes subsequent to the date of issue, nor accurately foresee or report all possible scenarios. Displays, photos, schemes, designs or examples contained in this brochure are solely and exclusively reproduced to highlight the information contained. Due to the different characteristics of each yacht, the shipyard declines any and all liability for any use thereof on the basis of the information contained in this brochure.